

CHARLES D. FLAYHAN ASSOCIATES INC.
880 CANAL STREET STAMFORD CT 06902
203 348 4100

DATE	ISSUED TO	PR	TR
10-25-84	C.F.S.C. C. NICHOLAS PROGRAM	2	-
11-7-84	C.F.S.C. C. NICHOLAS PROGRAM	3	-
12-7-84	POST AUTHORITY FOR APPROVAL CIVILS CORP. FOR DISC C.F.S.C. FOR RECORD	10	1
1-18-85	POST AUTHORITY FOR APPROVAL CIVILS CORP. FOR INFORMATION C.F.S.C. FOR RECORD	10	1

NO. 3104
CONTRACT NO. 3104
DATE APPROVED 1/28/85

NO. DATE REVISION BY


CANTOR, FITZGERALD
SECURITIES CORP.
105TH FLOOR
ONE WORLD TRADECENTER, NEW YORK N.Y.

NEW CORPORATE BOND
TRADING ROOM
FURNITURE & ELECTRONIC
EQUIPMENT PLAN

PROJECT NO. 357A
SCALE 1/4" = 1'-0"
DRAWN BY J.F.P.
CHECKED BY
DATE 12-6-84

DRAWING NO. 105F
6


SYMBOL LEGEND	
	SPACE NUMBER SYMBOL
	ELECTRIC OR ELECTRONIC EQUIPMENT NUMBER 555 SCHEDULE 105F-8
	CABINETWORK ITEM NUMBER 555 SCHEDULE 105F-8
	ELECTRICAL OR ELECTRONIC EQUIPMENT INDICATION
	40 LINE TELEPHONE TOWER N.C. SERIES 3000 BUILT INTO TRADING DESK, PROVIDED FOR FUTURE 120 LINE TOWER, NATURAL COMPONENTS AS SELECTED BY C.F.S.C.



KEY PLAN
1/4" = 1'-0"

PHASE
F
TAA NO. 3104

PHASE
F
TAA NO. 3104



PART 105TH FLOOR PLAN
1/4" = 1'-0"

ELECTRONIC EQUIPMENT SCHEDULE													
SYMBOL	DESCRIPTION MANUFACTURER OR SUPPLIER	MODEL NO.	ELECTRICAL REQUIREMENTS			REMARKS	SYMBOL	DESCRIPTION MANUFACTURER OR SUPPLIER	MODEL NO.	ELECTRICAL REQUIREMENTS			DESCRIPTION
			VOLTS	AMPS	WATTAGE MAX.					VOLTS	AMPS	WATTAGE MAX.	
E1	CRT MONITOR 15" GALEN	DT 80/1 OR EXCL #52	120V	1.0	—	SET ON DESKS	E8	PRINTER TELETYPE	—	—	—	—	SET ON COUNTER
E2	COMMUNICATIONS RACK, HANWORTH	—	120V	—	400W MAX.		E9	KEY BOARD TELETYPE	—	—	—	—	SET ON COUNTER
E3	CRT MONITOR 15" GALEN	GDS-15	120V	1.0	—	SET ON SHELVES ABOVE DESKS	E10	CRT MONITOR DATA MEDIA	DT 80/1 OR EXCL #52	120V	1.0	—	SET ON SHELVES
E4	CRT MONITOR QUOTRON	—	120V	—	85W	SET ON WALL MOUNTED SHELF, NEAR CLG.	E11	KEYBOARD QUOTRON	—	—	—	—	SET ON COUNTER
E5	CRT MONITOR ELECTROHOME	—	120V	1.0	—	SET ON WALL MOUNTED SHELF NEAR CLG FOR TELETYPE INFORMATION							
E6	PRINTER CENTRONICS	H-80-1	120V	1.3	—	SET ON DESK							
E7	CRT MONITOR TELETYPE	—	—	—	—	SET ON COUNTER							